

biomapping



Products for Protein Biology

Extraction | Chromatography | Purification & Detection
Electrophoresis | Western Blotting | Analysis

SIGMA-ALDRICH®

SIGMA Where *bio* begins™
Life Science



Application Key

PEP = Protein extraction and purification, Elec = Electrophoresis, West = Western Blotting

Save on Reagents for Common Protein Biology Applications

Reference promo code **HSP** when placing your order.

Cat. No.	Product Description	Application
Acids & Bases		
320099-2.5L	Acetic acid, ACS reagent, ≥99.7%	PEP
320099-500ML	Acetic acid, ACS reagent, ≥99.7%	PEP
320145-1L	Ammonium hydroxide solution, ACS reagent, 28.0-30.0% NH ₃ basis	PEP
320145-500ML	Ammonium hydroxide solution, ACS reagent, 28.0-30.0% NH ₃ basis	PEP
F0507-100ML	Formic acid, reagent grade, ≥95%	PEP
F0507-1L	Formic acid, reagent grade, ≥95%	PEP
F0507-500ML	Formic acid, reagent grade, ≥95%	PEP
A6283-1L	Acetic acid, <i>ReagentPlus</i> ®, ≥99%	PEP
A6283-500ML	Acetic acid, <i>ReagentPlus</i> ®, ≥99%	PEP
216763-100ML	Hydrogen peroxide solution, contains inhibitor, 30 wt. % in H ₂ O, ACS reagent	PEP
216763-500ML	Hydrogen peroxide solution, contains inhibitor, 30 wt. % in H ₂ O, ACS reagent	PEP
H1758-100ML	Hydrochloric acid, 36.5-38.0%, BioReagent, for molecular biology	PEP
H1758-500ML	Hydrochloric acid, 36.5-38.0%, BioReagent, for molecular biology	PEP
438081-500ML	Phosphoric acid, ACS reagent, ≥85 wt. % in H ₂ O	PEP
P5958-250G	Potassium hydroxide, BioXtra, ≥85% KOH basis	PEP
P5958-500G	Potassium hydroxide, BioXtra, ≥85% KOH basis	PEP
S8045-1KG	Sodium hydroxide, BioXtra, ≥98% (acidimetric), pellets (anhydrous)	PEP
S8045-500G	Sodium hydroxide, BioXtra, ≥98% (acidimetric), pellets (anhydrous)	PEP
T8657-250G	Trichloroacetic acid, for electrophoresis, suitable for fixing solution (for IEF and PAGE gels), ≥99%	PEP
Acrylamides		
A2792-100ML	Acrylamide/Bis-acrylamide, BioReagent, for molecular biology	Elect
A2792-1L	Acrylamide/Bis-acrylamide, BioReagent, for molecular biology	Elect
A2917-100ML	Acrylamide/Bis-acrylamide, BioReagent, for molecular biology	Elect
A2917-1L	Acrylamide/Bis-acrylamide, BioReagent, for molecular biology	Elect
A3449-100ML	Acrylamide/Bis-acrylamide, 30% solution, BioReagent, suitable for electrophoresis	Elect
A3449-5X100ML	Acrylamide/Bis-acrylamide, 30% solution, BioReagent, suitable for electrophoresis	Elect
A3553-100G	Acrylamide, for electrophoresis, ≥99% (HPLC), powder	Elect
A3553-500G	Acrylamide, for electrophoresis, ≥99% (HPLC), powder	Elect
A3574-100ML	Acrylamide/Bis-acrylamide, 30% solution, BioReagent, suitable for electrophoresis	Elect
A3574-5X100ML	Acrylamide/Bis-acrylamide, 30% solution, BioReagent, suitable for electrophoresis	Elect
A3699-100ML	Acrylamide/Bis-acrylamide, 30% solution, BioReagent, suitable for electrophoresis	Elect
A3699-5X100ML	Acrylamide/Bis-acrylamide, 30% solution, BioReagent, suitable for electrophoresis	Elect
A4058-100ML	Acrylamide solution, 40%, for electrophoresis, sterile-filtered	Elect
A7168-100ML	Acrylamide/bis-acrylamide, 40% solution, BioReagent, suitable for electrophoresis	Elect
A7802-100ML	Acrylamide/bis-acrylamide, 40% solution, BioReagent, suitable for electrophoresis	Elect
A7802-5X100ML	Acrylamide/bis-acrylamide, 40% solution, BioReagent, suitable for electrophoresis	Elect
A8887-100G	Acrylamide, suitable for electrophoresis, ≥99%	Elect
A8887-1KG	Acrylamide, suitable for electrophoresis, ≥99%	Elect
A8887-500G	Acrylamide, suitable for electrophoresis, ≥99%	Elect
A9099-100G	Acrylamide, for molecular biology, ≥99% (HPLC)	Elect
A9099-25G	Acrylamide, for molecular biology, ≥99% (HPLC)	Elect
A9926-100ML	Acrylamide/bis-acrylamide, 40% solution, BioReagent, suitable for electrophoresis	Elect
A9926-5X100ML	Acrylamide/bis-acrylamide, 40% solution, BioReagent, suitable for electrophoresis	Elect
M7279-100G	<i>N,N'</i> -Methylenebisacrylamide, powder, for molecular biology, for electrophoresis, ≥99.5%	Elect
M7279-25G	<i>N,N'</i> -Methylenebisacrylamide, powder, for molecular biology, for electrophoresis, ≥99.5%	Elect



For information on Sigma Life Science Grades, contact
Technical Service at ets@sial.com

Cat. No.	Product Description	Application
Agarose		
A6877-100G	Agarose, Type II, Medium EEO	Elect
A6877-250G	Agarose, Type II, Medium EEO	Elect
A9539-100G	Agarose, For routine use	Elect
A9539-250G	Agarose, For routine use	Elect
A9539-500G	Agarose, For routine use	Elect
A6013-100G	Agarose, Type I, low EEO	Elect
A6013-1KG	Agarose, Type I, low EEO	Elect
A6013-50G	Agarose, Type I, low EEO	Elect
E5529-1ML	EZview™ Red Streptavidin Affinity Gel	PEP
G4510-10ML	Glutathione–Agarose, lyophilized powder	PEP
G4510-5ML	Glutathione–Agarose, lyophilized powder	PEP
P3296-1ML	Protein G Sepharose®, Fast Flow, recombinant, expressed in <i>E. coli</i> , aqueous ethanol suspension	PEP
P3296-5ML	Protein G Sepharose®, Fast Flow, recombinant, expressed in <i>E. coli</i> , aqueous ethanol suspension	PEP
S1638-1ML	Streptavidin–Agarose from <i>Streptomyces avidinii</i> , buffered aqueous suspension	PEP
S1638-5ML	Streptavidin–Agarose from <i>Streptomyces avidinii</i> , buffered aqueous suspension	PEP
Amino Acids		
A9165-25G	<i>N</i> -Acetyl-L-cysteine, BioReagent, cell culture tested	PEP
A9165-5G	<i>N</i> -Acetyl-L-cysteine, BioReagent, cell culture tested	PEP
G6013-5G	L-Glutathione reduced, cell culture tested, BioReagent, ≥98.0%, powder	PEP
G8898-1KG	Glycine, for electrophoresis, ≥99%	PEP
G8898-500G	Glycine, for electrophoresis, ≥99%	PEP
L8912-100G	L-Leucine, from non-animal source, meets EP, JP, USP testing specifications, suitable for cell culture, 98.5-101.0%	PEP
L8912-25G	L-Leucine, from non-animal source, meets EP, JP, USP testing specifications, suitable for cell culture, 98.5-101.0%	PEP
Antibiotics		
A0166-25G	Ampicillin sodium salt, powder, BioReagent, suitable for cell culture	PEP
A0166-5G	Ampicillin sodium salt, powder, BioReagent, suitable for cell culture	PEP
C1988-1G	Cycloheximide, Biotechnology Performance Certified	PEP
D9891-1G	Doxycycline hyclate, ≥98% (TLC)	PEP
D9891-25G	Doxycycline hyclate, ≥98% (TLC)	PEP
D9891-5G	Doxycycline hyclate, ≥98% (TLC)	PEP
N6261-5MU	Nystatin, powder, BioReagent, suitable for cell culture	PEP
S9137-25G	Streptomycin sulfate salt, powder, BioReagent, suitable for cell culture	PEP
Buffers / Buffer Salts		
A1542-250G	Ammonium acetate, for molecular biology, ≥98%	PEP
A1542-500G	Ammonium acetate, for molecular biology, ≥98%	PEP
A2706-100ML	Ammonium acetate solution, for molecular biology, 7.5 M	PEP
A2706-500ML	Ammonium acetate solution, for molecular biology, 7.5 M	PEP
A6141-25G	Ammonium bicarbonate, <i>ReagentPlus</i> ®, ≥99.0%	PEP
A6141-500G	Ammonium bicarbonate, <i>ReagentPlus</i> ®, ≥99.0%	PEP
B5934-12VL	Barbital Buffer	Elect
B3876-100G	BICINE, ≥99% (titration)	PEP
B3876-25G	BICINE, ≥99% (titration)	PEP
B6768-1KG	Boric acid, BioReagent, for molecular biology, suitable for cell culture, suitable for plant cell culture, ≥99.5%	PEP
B6768-500G	Boric acid, BioReagent, for molecular biology, suitable for cell culture, suitable for plant cell culture, ≥99.5%	PEP
C3306-100G	Calcium chloride dihydrate, for molecular biology, ≥99%	PEP
C3306-250G	Calcium chloride dihydrate, for molecular biology, ≥99%	PEP
C2632-100G	CAPS, ≥98.0%	PEP
C2632-25G	CAPS, ≥98.0%	PEP
G3272-100G	Guanidine hydrochloride, for molecular biology, ≥99%	PEP



Application Key

PEP = Protein extraction and purification, Elec = Electrophoresis, West = Western Blotting

Save on Reagents for Common Protein Biology Applications

Reference promo code **HSP** when placing your order.

Cat. No.	Product Description	Application
G3272-500G	Guanidine hydrochloride, for molecular biology, ≥99%	PEP
H3537-100ML	HEPES solution, 1 M, BioReagent, suitable for cell culture, suitable for molecular biology, 0.2 µm filtered	PEP
H3784-100G	HEPES sodium salt, BioReagent, suitable for cell culture, ≥99.5% (titration)	PEP
H3784-25G	HEPES sodium salt, BioReagent, suitable for cell culture, ≥99.5% (titration)	PEP
H4034-100G	HEPES, Biotechnology Performance Certified, ≥99.5% (titration), cell culture tested	PEP
H4034-500G	HEPES, Biotechnology Performance Certified, ≥99.5% (titration), cell culture tested	PEP
I5513-100G	Imidazole, for molecular biology, ≥99% (titration)	PEP
I5513-5G	Imidazole, for molecular biology, ≥99% (titration)	PEP
M1028-100ML	Magnesium chloride solution, for molecular biology, 1.00 M±0.01 M	PEP
M1317-100ML	MES solution, BioReagent, 1 M, for molecular biology, suitable for cell culture	PEP
M1442-100ML	MOPS solution, BioReagent, 1 M, for molecular biology, suitable for cell culture	PEP
M2933-100G	MES hydrate, BioReagent, suitable for cell culture, for molecular biology, ≥99.5%	PEP
M2933-25G	MES hydrate, BioReagent, suitable for cell culture, for molecular biology, ≥99.5%	PEP
M3058-100G	MES sodium salt, BioReagent, suitable for cell culture, for molecular biology	PEP
M3058-25G	MES sodium salt, BioReagent, suitable for cell culture, for molecular biology	PEP
M3183-100G	MOPS, Biotechnology Performance Certified, cell culture tested, ≥99.5% (titration)	PEP
M3183-500G	MOPS, Biotechnology Performance Certified, cell culture tested, ≥99.5% (titration)	PEP
M3409-10X1ML	Magnesium sulfate solution, for molecular biology, 1.00 M±0.04 M	PEP
M5661-250G	Magnesium acetate tetrahydrate, for molecular biology, ≥99%	PEP
M5661-50G	Magnesium acetate tetrahydrate, for molecular biology, ≥99%	PEP
P1190-100G	Potassium acetate, for molecular biology, ≥99.0%	PEP
P1190-500G	Potassium acetate, for molecular biology, ≥99.0%	PEP
P3563-10PAK	Phosphate buffered saline, pH 7.4, contains TWEEN® 20, dry powder	PEP
P3563-5X10PAK	Phosphate buffered saline, pH 7.4, contains TWEEN® 20, dry powder	PEP
P3813-10PAK	Phosphate buffered saline, powder, pH 7.4	PEP
P3813-5X10PAK	Phosphate buffered saline, powder, pH 7.4	PEP
P4809-50TAB	Phosphate-Citrate Buffer, tablet	PEP
P5493-1L	Phosphate buffered saline, BioReagent, 10x concentrate, suitable for cell culture, for molecular biology	PEP
P5493-4L	Phosphate buffered saline, BioReagent, 10x concentrate, suitable for cell culture, for molecular biology	PEP
P5833-1KG	Potassium carbonate, BioXtra, ≥99.0%	PEP
P5833-500G	Potassium carbonate, BioXtra, ≥99.0%	PEP
P9541-1KG	Potassium chloride, for molecular biology, ≥99.0%	PEP
P9541-500G	Potassium chloride, for molecular biology, ≥99.0%	PEP
P9791-100G	Potassium phosphate monobasic, for molecular biology, ≥98.0%	PEP
P9791-500G	Potassium phosphate monobasic, for molecular biology, ≥98.0%	PEP
R0278-50ML	RIPA Buffer	PEP
S3401-10VL	Sample Buffer, Laemmli 2x Concentrate	Elect
S2889-250G	Sodium acetate, anhydrous	PEP
S5636-500G	Sodium acetate, powder, BioReagent, for electrophoresis, suitable for cell culture, suitable for insect cell culture, ≥99%	PEP
S5761-1KG	Sodium bicarbonate, powder, BioReagent, for molecular biology, suitable for cell culture, suitable for insect cell culture	PEP
S5761-500G	Sodium bicarbonate, powder, BioReagent, for molecular biology, suitable for cell culture, suitable for insect cell culture	PEP
S3014-1KG	Sodium chloride, for molecular biology, DNase, RNase, and protease none detected, ≥98% (titration)	PEP
S3014-5KG	Sodium chloride, for molecular biology, DNase, RNase, and protease none detected, ≥98% (titration)	PEP
S5150-1L	Sodium chloride solution, 5 M in H ₂ O, BioReagent, for molecular biology, suitable for cell culture	PEP
C8532-100G	Sodium citrate tribasic dihydrate, for molecular biology, suitable for amino acid analysis, ≥99%	PEP
C8532-500G	Sodium citrate tribasic dihydrate, for molecular biology, suitable for amino acid analysis, ≥99%	PEP
S3264-1KG	Sodium phosphate dibasic, for molecular biology, ≥98.5% (titration)	PEP
S3264-250G	Sodium phosphate dibasic, for molecular biology, ≥98.5% (titration)	PEP



For information on Sigma Life Science Grades, contact
Technical Service at ets@sial.com

Cat. No.	Product Description	Application
T5816-100G	Tricine, Biotechnology Performance Certified, cell culture tested, ≥99% (titration)	PEP
T6664-10PAK	Tris Buffered Saline, pH 8.0, powder	PEP
T6789-10PAK	Tris Buffered Saline, with BSA, pH 8.0, powder	PEP
T9039-10PAK	Tris Buffered Saline, with Tween® 20, pH 8.0, powder	PEP
T4904-1L	Tris-Glycine Buffer 10x Concentrate	Elect
T7777-1L	Tris-Glycine-SDS Buffer 10x Concentrate	PEP
T5941-1KG	Trizma® hydrochloride, for molecular biology, Biotechnology Performance Certified, cell culture tested, ≥99.0% (titration)	PEP
T5941-500G	Trizma® hydrochloride, for molecular biology, Biotechnology Performance Certified, cell culture tested, ≥99.0% (titration)	PEP
T6066-1KG	Trizma® base, Biotechnology Performance Certified, meets EP, USP testing specifications, cell culture tested, ≥99.9% (titration)	PEP
T6066-5KG	Trizma® base, Biotechnology Performance Certified, meets EP, USP testing specifications, cell culture tested, ≥99.9% (titration)	PEP
T1258-25G	Trizma® acetate, ≥99.0% (titration)	PEP
Cell Lysis		
B7435-50ML	CellLytic™ B Cell Lysis Reagent, For bacterial cell lysis, standard strength	PEP
C1990-25ML	CellLytic™ Express	PEP
C2978-250ML	CellLytic™ M, Cell Lysis Reagent, Suitable for Mammalian cell lysis and protein solubilization.	PEP
C2978-50ML	CellLytic™ M, Cell Lysis Reagent, Suitable for Mammalian cell lysis and protein solubilization.	PEP
C3228-50ML	CellLytic™ MT Cell Lysis Reagent, For mammalian tissues	PEP
C4482-50ML	CellLytic™ Y Cell Lysis Reagent, For yeast cells	PEP
C5236-25ML	CellLytic™ IB Inclusion Body Solubilization Reagent	PEP
C8740-100ML	CellLytic™ B Cell Lysis Reagent, For bacterial cell lysis, 10x concentrate	PEP
C8740-10ML	CellLytic™ B Cell Lysis Reagent, For bacterial cell lysis, 10x concentrate	PEP
CB0050-1KT	CellLytic™ B Plus Kit, For bacterial lysis	PEP
Detergents		
P1254-500G	Brij® L23, suitable for Stein-Moore chromatography	PEP
C9426-1G	CHAPS hydrate, BioReagent, suitable for electrophoresis, ≥98% (TLC)	PEP
C9426-5G	CHAPS hydrate, BioReagent, suitable for electrophoresis, ≥98% (TLC)	PEP
75746-1KG	Sodium dodecyl sulfate, ≥98.0% (GC), dust-free pellets	PEP
75746-250G	Sodium dodecyl sulfate, ≥98.0% (GC), dust-free pellets	PEP
L3771-100G	Sodium dodecyl sulfate, BioReagent, suitable for electrophoresis, for molecular biology, ≥98.5% (GC)	PEP
L3771-500G	Sodium dodecyl sulfate, BioReagent, suitable for electrophoresis, for molecular biology, ≥98.5% (GC)	PEP
T8787-100ML	Triton™ X-100, for molecular biology	PEP
T8787-250ML	Triton™ X-100, for molecular biology	PEP
P2287-100ML	TWEEN® 20, viscous liquid, cell culture tested	PEP
P2287-500ML	TWEEN® 20, viscous liquid, cell culture tested	PEP
P9416-100ML	TWEEN® 20, for molecular biology, viscous liquid	PEP
P9416-50ML	TWEEN® 20, for molecular biology, viscous liquid	PEP
General Reagents		
A6419-1G	Adenosine 5'-triphosphate disodium salt hydrate, microbial, BioReagent, suitable for cell culture, ≥99%	PEP
A6419-5G	Adenosine 5'-triphosphate disodium salt hydrate, microbial, BioReagent, suitable for cell culture, ≥99%	PEP
A3156-5G	Albumin from bovine serum, lyophilized powder, γ-irradiated, Globulin Free, BioXtra, suitable for cell culture	PEP
B4287-25G	Albumin from bovine serum, BioReagent, for molecular biology	PEP
B4287-5G	Albumin from bovine serum, BioReagent, for molecular biology	PEP
A5378-10G	Albumin from chicken egg white, lyophilized powder, ≥90% (agarose gel electrophoresis)	PEP
A5378-1G	Albumin from chicken egg white, lyophilized powder, ≥90% (agarose gel electrophoresis)	PEP
A5378-50G	Albumin from chicken egg white, lyophilized powder, ≥90% (agarose gel electrophoresis)	PEP
A7906-100G	Albumin from bovine serum, ≥98% (agarose gel electrophoresis), lyophilized powder	PEP
A7906-10G	Albumin from bovine serum, ≥98% (agarose gel electrophoresis), lyophilized powder	PEP
A7906-50G	Albumin from bovine serum, ≥98% (agarose gel electrophoresis), lyophilized powder	PEP
A9647-100G	Albumin from bovine serum, lyophilized powder, ≥96% (agarose gel electrophoresis)	PEP
A9647-10G	Albumin from bovine serum, lyophilized powder, ≥96% (agarose gel electrophoresis)	PEP
A2504-100G	6-Aminocaproic acid, ≥99% (titration), powder	PEP



Application Key

PEP = Protein extraction and purification, Elec = Electrophoresis, West = Western Blotting

Save on Reagents for Common Protein Biology Applications

Reference promo code **HSP** when placing your order.

Cat. No.	Product Description	Application
A2504-25G	6-Aminocaproic acid, ≥99% (titration), powder	PEP
A3678-100G	Ammonium persulfate, for molecular biology, for electrophoresis, ≥98%	PEP
A3678-25G	Ammonium persulfate, for molecular biology, for electrophoresis, ≥98%	PEP
A9647-50G	Albumin from bovine serum, lyophilized powder, ≥96% (agarose gel electrophoresis)	PEP
B4639-1G	Biotin, powder, BioReagent, suitable for cell culture, suitable for insect cell culture, suitable for plant cell culture, ≥99%	PEP
B4639-500MG	Biotin, powder, BioReagent, suitable for cell culture, suitable for insect cell culture, suitable for plant cell culture, ≥99%	PEP
BCA1-1KT	Bicinchoninic Acid Kit for Protein Determination, for 200-1000 µg/ml protein	PEP
B9643-1L	Bicinchoninic Acid solution	PEP
646563-10X.5ML	DL-Dithiothreitol solution, 1 M in H ₂ O	PEP
D9163-1G	DL-Dithiothreitol, for electrophoresis, ≥99%	PEP
D9163-5G	DL-Dithiothreitol, for electrophoresis, ≥99%	PEP
D9779-10G	DL-Dithiothreitol, for molecular biology, ≥98% (TLC), ≥99% (titration)	PEP
D9779-1G	DL-Dithiothreitol, for molecular biology, ≥98% (TLC), ≥99% (titration)	PEP
D9779-5G	DL-Dithiothreitol, for molecular biology, ≥98% (TLC), ≥99% (titration)	PEP
AMPD1-1KT	DNase I, Amplification Grade	PEP
E5134-100G	Ethylenediaminetetraacetic acid disodium salt dihydrate, for electrophoresis, for molecular biology, 99.0-101.0% (titration)	PEP
E5134-1KG	Ethylenediaminetetraacetic acid disodium salt dihydrate, for electrophoresis, for molecular biology, 99.0-101.0% (titration)	PEP
E5134-500G	Ethylenediaminetetraacetic acid disodium salt dihydrate, for electrophoresis, for molecular biology, 99.0-101.0% (titration)	PEP
E7889-100ML	Ethylenediaminetetraacetic acid disodium salt solution, for molecular biology, 0.5 M in H ₂ O, DNase, RNase, NICKase and protease none detected	PEP
E3889-10G	Ethylene glycol-bis(2-aminoethylether)-N,N,N',N'-tetraacetic acid, for molecular biology, ≥97.0%	PEP
E3889-25G	Ethylene glycol-bis(2-aminoethylether)-N,N,N',N'-tetraacetic acid, for molecular biology, ≥97.0%	PEP
F2442-100ML	Fetal Bovine Serum, USA origin, sterile-filtered, suitable for cell culture, suitable for hybridoma	PEP
F2442-500ML	Fetal Bovine Serum, USA origin, sterile-filtered, suitable for cell culture, suitable for hybridoma	PEP
F8775-25ML	Formaldehyde solution, for molecular biology, 36.5-38% in H ₂ O	PEP
F8775-500ML	Formaldehyde solution, for molecular biology, 36.5-38% in H ₂ O	PEP
G6257-100ML	Glutaraldehyde solution, Grade II, 25% in H ₂ O	PEP
G6257-1L	Glutaraldehyde solution, Grade II, 25% in H ₂ O	PEP
G7021-100G	D-(+)-Glucose, powder, BioReagent, suitable for cell culture, suitable for insect cell culture, suitable for plant cell culture, ≥99.5%	PEP
G7021-1KG	D-(+)-Glucose, powder, BioReagent, suitable for cell culture, suitable for insect cell culture, suitable for plant cell culture, ≥99.5%	PEP
G5516-100ML	Glycerol, for molecular biology, ≥99%	PEP
G5516-1L	Glycerol, for molecular biology, ≥99%	PEP
G5516-500ML	Glycerol, for molecular biology, ≥99%	PEP
G7294-100ML	Guanidine hydrochloride solution, 8 M, pH 8.5, buffered aqueous solution	PEP
I6125-25G	Iodoacetamide, ≥99% (HPLC), crystalline	PEP
I6125-5G	Iodoacetamide, ≥99% (HPLC), crystalline	PEP
L4919-500MG	Lysozyme from chicken egg white, BioUltra, lyophilized powder, ≥98% (SDS-PAGE), activity: ≥40,000 units/mg protein	PEP
M3148-100ML	2-Mercaptoethanol, for molecular biology, for electrophoresis, suitable for cell culture, BioReagent, 99% (GC/titration)	PEP
M3148-25ML	2-Mercaptoethanol, for molecular biology, for electrophoresis, suitable for cell culture, BioReagent, 99% (GC/titration)	PEP
P8131-100G	Potassium hexacyanoferrate(III), <i>ReagentPlus</i> [®] , ~99%	PEP
223468-25G	Potassium permanganate, ACS reagent, ≥99.0%	PEP
223468-500G	Potassium permanganate, ACS reagent, ≥99.0%	PEP
P8038-100MG	Proteinase, bacterial, Type XXIV, activity: 7.0-14.0 units/mg solid, lyophilized powder	PEP
P8038-1G	Proteinase, bacterial, Type XXIV, activity: 7.0-14.0 units/mg solid, lyophilized powder	PEP
217263-1KG	Sodium thiosulfate, <i>ReagentPlus</i> [®] , 99%	Elect
S6422-100G	Sodium pyrophosphate tetrabasic decahydrate, BioXtra, ≥99.0%	PEP



For information on Sigma Life Science Grades, contact
Technical Service at ets@sial.com

Cat. No.	Product Description	Application
S6776-100G	Sodium fluoride, BioReagent, suitable for insect cell culture, ≥99%	PEP
S7795-500G	Sodium carbonate, BioXtra, ≥99.0%	PEP
S8170-1KG	Sodium nitrate, BioXtra, ≥99.0%	PEP
S8170-250G	Sodium nitrate, BioXtra, ≥99.0%	PEP
217263-250G	Sodium thiosulfate, <i>ReagentPlus</i> ®, 99%	Elect
S6021-1KG	D-Sorbitol, for molecular biology, ≥98%	PEP
S0389-1KG	Sucrose, for molecular biology, ≥99.5% (GC)	PEP
S0389-500G	Sucrose, for molecular biology, ≥99.5% (GC)	PEP
T9281-100ML	<i>N,N,N,N</i> -Tetramethylethylenediamine, BioReagent, suitable for electrophoresis, ~99%	Elect
T9281-25ML	<i>N,N,N,N</i> -Tetramethylethylenediamine, BioReagent, suitable for electrophoresis, ~99%	Elect
T4625-25G	Thiamine hydrochloride, reagent grade, ≥99% (HPLC)	PEP
T4625-5G	Thiamine hydrochloride, reagent grade, ≥99% (HPLC)	PEP
T8656-500G	Thiourea, ACS reagent, ≥99.0%	PEP
T8656-50G	Thiourea, ACS reagent, ≥99.0%	PEP
T4648-1KU	Thrombin from bovine plasma, lyophilized powder, activity: 40-300 NIH units/mg protein (biuret)	PEP
T9424-100ML	TRI Reagent®, For processing tissues, cells cultured in monolayer or cell pellets	PEP
T9424-200ML	TRI Reagent®, For processing tissues, cells cultured in monolayer or cell pellets	PEP
646547-10X1ML	Tris(2-carboxyethyl)phosphine hydrochloride solution, 0.5 M, pH 7.0	PEP
T3924-100ML	Trypsin-EDTA solution, 1 ×, sterile; sterile-filtered, BioReagent, suitable for cell culture, 0.5 g porcine trypsin and 0.2 g EDTA • 4Na per liter of Hanks' Balanced Salt Solution with phenol red	PEP
T3924-500ML	Trypsin-EDTA solution, 1 ×, sterile; sterile-filtered, BioReagent, suitable for cell culture, 0.5 g porcine trypsin and 0.2 g EDTA • 4Na per liter of Hanks' Balanced Salt Solution with phenol red	PEP
T8658-1VL	Trypsin from bovine pancreas, suitable for protein sequencing, lyophilized powder	PEP
U4883-6X25ML	Urea, 8 M (after reconstitution with 16 mL high purity water)	PEP
U5378-1KG	Urea, powder, BioReagent, for molecular biology, suitable for cell culture	PEP
U5378-500G	Urea, powder, BioReagent, for molecular biology, suitable for cell culture	PEP
U6504-1KG	Urea, for electrophoresis	Elect
U6504-500G	Urea, for electrophoresis	Elect
W4502-1L	Water, Molecular Biology Reagent	PEP
W4502-6X1L	Water, Molecular Biology Reagent	PEP
W0138-400ML	Western Blocker™ Solution, for HRP detection systems	West
Z0152-100G	Zinc chloride, BioReagent, for molecular biology, suitable for cell culture, suitable for insect cell culture	PEP
Z0251-100G	Zinc sulfate heptahydrate, BioReagent, suitable for cell culture	PEP
Protein Molecular Weight Markers		
C1992-1VL	ColorBurst™ Electrophoresis Marker, mol wt 8,000-220,000 Da	Elect
C6210-1VL	Color Marker Ultra-low Range (M.W. 1,060-26,600)	Elect
MWND500-1KT	Kit for Molecular Weights 14,000-500,000 Non-denaturing	Elect
M3913-10VL	SigmaMarker™, low range, mol wt 6,500-66,000 Da	Elect
M3913-1VL	SigmaMarker™, low range, mol wt 6,500-66,000 Da	Elect
S8320-1VL	SigmaMarker™, high range, mol wt 36,000-200,000 Da	Elect
S8445-1VL	SigmaMarker™, wide range, mol wt 6,500-200,000 Da	Elect
SDS7B2-1VL	Prestained Molecular Weight Marker, mol wt 26,600-180,000 Da	Elect
SDS7B2-5X1VL	Prestained Molecular Weight Marker, mol wt 26,600-180,000 Da	Elect
T0565-100ML	3,3',5,5'-Tetramethylbenzidine (TMB) Liquid Substrate System for Membranes, ready to use solution	West
M3546-1VL	Ultra-low Range Molecular Weight Marker (M.W. 1,060-26,600)	Elect
Protease Inhibitors		
A3428-10MG	Aprotinin from bovine lung, lyophilized powder, activity: 3-8 TIU/mg solid, BioReagent, suitable for cell culture	PEP
A3428-25MG	Aprotinin from bovine lung, lyophilized powder, activity: 3-8 TIU/mg solid, BioReagent, suitable for cell culture	PEP
C7268-1MG	Chymostatin, microbial	PEP
C7268-25MG	Chymostatin, microbial	PEP
C7268-5MG	Chymostatin, microbial	PEP
E3132-1MG	E-64, protease inhibitor	PEP



Application Key

PEP = Protein extraction and purification, Elec = Electrophoresis, West = Western Blotting

Save on Reagents for Common Protein Biology Applications

Reference promo code **HSP** when placing your order.

Cat. No.	Product Description	Application
E3132-5MG	E-64, protease inhibitor	PEP
L9783-25MG	Leupeptin hydrochloride, microbial, ≥90% (HPLC)	PEP
L9783-5MG	Leupeptin hydrochloride, microbial, ≥90% (HPLC)	PEP
P5318-25MG	Pepstatin A, microbial	PEP
P5318-5MG	Pepstatin A, microbial	PEP
P7626-1G	Phenylmethanesulfonyl fluoride, ≥98.5% (GC)	PEP
P7626-5G	Phenylmethanesulfonyl fluoride, ≥98.5% (GC)	PEP
P1860-1ML	Protease Inhibitor Cocktail, for use in tissue culture media, DMSO solution	PEP
P2714-1BTL	Protease Inhibitor Cocktail, for general use, lyophilized powder	PEP
P8215-1ML	Protease Inhibitor Cocktail, for use with fungal and yeast extracts, DMSO solution	PEP
P8215-5ML	Protease Inhibitor Cocktail, for use with fungal and yeast extracts, DMSO solution	PEP
P8340-1ML	Protease Inhibitor Cocktail, for use with mammalian cell and tissue extracts, DMSO solution	PEP
P8340-5ML	Protease Inhibitor Cocktail, for use with mammalian cell and tissue extracts, DMSO solution	PEP
P8465-5ML	Protease Inhibitor Cocktail, for use with bacterial cell extracts, lyophilized powder	PEP
P8849-1ML	Protease Inhibitor Cocktail, for use in purification of Histidine-tagged proteins, DMSO solution	PEP
P8849-5ML	Protease Inhibitor Cocktail, for use in purification of Histidine-tagged proteins, DMSO solution	PEP
P9599-1ML	Protease Inhibitor Cocktail, for plant cell and tissue extracts, DMSO solution	PEP
P9599-5ML	Protease Inhibitor Cocktail, for plant cell and tissue extracts, DMSO solution	PEP
S8820-20TAB	SIGMAFAST™ Protease Inhibitor Tablets, For General Use	PEP
S8830-20TAB	SIGMAFAST™ Protease Inhibitor Cocktail Tablets, EDTA-Free, for use in purification of Histidine-tagged proteins	PEP
Protein A / Protein G / Protein L Resins, for purification of immunoglobulins		
E3403-1ML	EZview™ Red Protein G Affinity Gel	PEP
P6486-1ML	EZview™ Red Protein A Affinity Gel	PEP
P3391-1G	Protein A-Sepharose® from <i>Staphylococcus aureus</i> , lyophilized powder	PEP
P3391-250MG	Protein A-Sepharose® from <i>Staphylococcus aureus</i> , lyophilized powder	PEP
P3476-1ML	Protein A-Agarose Fast Flow, 50%, aqueous suspension	PEP
P3476-5ML	Protein A-Agarose Fast Flow, 50%, aqueous suspension	PEP
P9424-1ML	Protein A-Sepharose® 4B, Fast Flow from <i>Staphylococcus aureus</i> , aqueous ethanol suspension	PEP
P9424-5ML	Protein A-Sepharose® 4B, Fast Flow from <i>Staphylococcus aureus</i> , aqueous ethanol suspension	PEP
Sepharose® and Sephadex®		
G100120-10G	Sephadex® G-100, Medium	PEP
G25150-10G	Sephadex® G-25, Medium	PEP
G25150-50G	Sephadex® G-25, Medium	PEP
G2580-100G	Sephadex® G-25, Fine	PEP
G2580-10G	Sephadex® G-25, Fine	PEP
G50150-100G	Sephadex® G-50, Medium	PEP
G50150-10G	Sephadex® G-50, Medium	PEP
G5050-100G	Sephadex® G-50, Superfine	PEP
G5080-100G	Sephadex® G-50, Fine	PEP
G5080-10G	Sephadex® G-50, Fine	PEP
G75120-10G	Sephadex® G-75, Medium	PEP
G75120-50G	Sephadex® G-75, Medium	PEP
LH20100-50G	Sephadex® LH-20	PEP
CL2B300-100ML	Sepharose® CL-2B, Cross-linked	PEP
CL6B200-100ML	Sepharose® CL-6B, Cross-linked	PEP



For information on Sigma Life Science Grades, contact
Technical Service at ets@sial.com

Cat. No.	Product Description	Application
Solvents		
179124-1L	Acetone, ACS reagent, ≥99.5%	PEP
179124-2.5L	Acetone, ACS reagent, ≥99.5%	PEP
360457-1L	Acetonitrile, ACS reagent, ≥99.5%	PEP
360457-500ML	Acetonitrile, ACS reagent, ≥99.5%	PEP
B7906-500ML	1-Butanol, for molecular biology, ≥99%	DNA
B85919-1L	2-Butanol, <i>ReagentPlus</i> ®, ≥99%	DNA
496189-1L	Chloroform, biotech. grade, ≥99.8%, contains 0.5-1.0% ethanol as stabilizer	DNA
D4551-250ML	<i>N,N</i> -Dimethylformamide, for molecular biology, ≥99%	DNA
D4551-500ML	<i>N,N</i> -Dimethylformamide, for molecular biology, ≥99%	DNA
D2438-50ML	Dimethyl sulfoxide, sterile-filtered, Biotechnology Performance Certified, meets EP, USP testing specifications, suitable for hybridoma	PEP
D2438-5X10ML	Dimethyl sulfoxide, sterile-filtered, Biotechnology Performance Certified, meets EP, USP testing specifications, suitable for hybridoma	PEP
E7023-500ML	Ethanol, 200 proof (absolute), for molecular biology	DNA
494437-2L	Methanol, suitable for protein sequencing, BioReagent, ≥99.93%	DNA
P1037-100G	Phenol, for molecular biology	DNA
P1037-25G	Phenol, for molecular biology	DNA
I9516-4X25ML	2-Propanol, for molecular biology, BioReagent, ≥99%	DNA
I9516-500ML	2-Propanol, for molecular biology, BioReagent, ≥99%	DNA
Specialist Affinity Gels & Immunoprecipitation kits		
A7345-1ML	Anti-V5 Agarose Affinity Gel antibody produced in mouse, purified immunoglobulin, clone V5-10, monoclonal	PEP
A7470-1ML	Anti-c-Myc Agarose Affinity Gel antibody produced in rabbit, affinity isolated antibody	PEP
E6654-1ML	EZview™ Red Anti-c-Myc Affinity Gel	PEP
P6611-100ML	HIS-Select® Nickel Affinity Gel	PEP
P6611-25ML	HIS-Select® Nickel Affinity Gel	PEP
P6611-5ML	HIS-Select® Nickel Affinity Gel	PEP
P9740-5ML	PHOS-Select™ Iron Affinity Gel	PEP
IP50-1KT	Protein G Immunoprecipitation Kit, sufficient for 50 assays	PEP
Stains & Dyes		
A8181-1EA	Amido Black Staining Solution 2X, electrophoresis reagent	Elect
B0770-25G	Brilliant Blue G, pure	Elect
B0770-5G	Brilliant Blue G, pure	Elect
B2025-1EA	Brilliant Blue G - Colloidal Concentrate	Elect
B8647-1EA	Brilliant Blue R Concentrate, suitable for SDS-PAGE, methanol solution	Elect
B5525-5G	Bromophenol Blue sodium salt, for electrophoresis	Elect
E1510-10ML	Ethidium bromide solution, BioReagent, for molecular biology, 10 mg/mL in H ₂ O	DNA
G1041-500ML	EZBlue™ Gel Staining Reagent	Elect
P7170-1L	Ponceau S solution, 0.1 % (w/v) in 5% acetic acid	Elect
PROTSIL1-1KT	ProteoSilver™ Silver Stain Kit	Elect
PROTSIL2-1KT	ProteoSilver™ Plus Silver Stain Kit	Elect
S8157-10G	Silver nitrate, BioXtra, >99% (titration)	Elect
S5692-50UL	SYPRO® Orange Protein Gel Stain	Elect
89640-5G	Toluidine Blue, for microscopy (Hist., Vit.)	DNA
Substrates		
90101-5MG-F	Ampliflu™ Red, for fluorescence, ≥98.0% (HPLC)	PEP
A6926-50TAB	3-Amino-9-ethylcarbazole, tablet	PEP
AEC101-1KT	AEC Staining Kit, liquid	PEP
B1911-100ML	BCIP®/NBT Liquid Substrate System, ready to use solution	PEP
B3679-100ML	BCIP®/NBT-Purple Liquid Substrate System for Membranes, ready to use alkaline phosphatase substrate	PEP
B3804-100ML	BCIP®/NBT-Blue Liquid Substrate System for Membranes, alkaline phosphatase substrate	PEP
B6916-500ML	Bradford Reagent, for 1-1,400 µg/ml protein	PEP



Application Key

PEP = Protein extraction and purification, Elec = Electrophoresis, West = Western Blotting

Save on Reagents for Common Protein Biology Applications

Reference promo code **HSP** when placing your order.

Cat. No.	Product Description	Application
B6149-100MG	5-Bromo-4-chloro-3-indolyl phosphate disodium salt, ≥98% (HPLC)	PEP
B6149-1G	5-Bromo-4-chloro-3-indolyl phosphate disodium salt, ≥98% (HPLC)	PEP
B6149-25MG	5-Bromo-4-chloro-3-indolyl phosphate disodium salt, ≥98% (HPLC)	PEP
B6404-100ML	BCIP®/NBT solution, premixed	PEP
B8503-100MG	5-Bromo-4-chloro-3-indolyl phosphate <i>p</i> -toluidine salt, ≥99% (HPLC)	PEP
B8503-500MG	5-Bromo-4-chloro-3-indolyl phosphate <i>p</i> -toluidine salt, ≥99% (HPLC)	PEP
C0712-100ML	CDP- <i>Star</i> ® Chemiluminescent Substrate, 0.25 mM in H ₂ O	PEP
CPS1120-1KT	Chemiluminescent Peroxidase Substrate-1, sufficient for 120 mL, substrate	PEP
CPS160-1KT	Chemiluminescent Peroxidase Substrate-1, sufficient for 60 mL, substrate	PEP
D5637-1G	3,3'-Diaminobenzidine tetrahydrochloride hydrate, ≥96%	PEP
D5637-5G	3,3'-Diaminobenzidine tetrahydrochloride hydrate, ≥96%	PEP
D5905-100TAB	3,3'-Diaminobenzidine tetrahydrochloride, tablet, 10 mg substrate per tablet	PEP
D5905-50TAB	3,3'-Diaminobenzidine tetrahydrochloride, tablet, 10 mg substrate per tablet	PEP
72091-10ML	NBT-BCIP® solution, BioReagent, suitable as substrate for alkaline phosphatase in dot blots	PEP
72091-2.5ML	NBT-BCIP® solution, BioReagent, suitable as substrate for alkaline phosphatase in dot blots	PEP
N5514-10TAB	Nitro Blue Tetrazolium, tablet	PEP
N5514-25TAB	Nitro Blue Tetrazolium, tablet	PEP
N6876-100MG	Nitrotetrazolium Blue chloride, ~98% (TLC)	PEP
N6876-1G	Nitrotetrazolium Blue chloride, ~98% (TLC)	PEP
N6876-250MG	Nitrotetrazolium Blue chloride, ~98% (TLC)	PEP
B5655-25TAB	SIGMAFAST™ BCIP®/NBT, tablet	PEP
B5655-5TAB	SIGMAFAST™ BCIP®/NBT, tablet	PEP
D0426-50SET	SIGMAFAST™ DAB with Metal Enhancer, tablet	PEP
D0426-5SET	SIGMAFAST™ DAB with Metal Enhancer, tablet	PEP
D4168-50SET	SIGMAFAST™ 3,3'-Diaminobenzidine tablets, tablet, To prepare 1 mL	PEP
D4293-50SET	SIGMAFAST™ 3,3'-Diaminobenzidine tablets, tablet, To prepare 5 mL	PEP
D4418-50SET	SIGMAFAST™ 3,3'-Diaminobenzidine tablets, tablet, To prepare 15 mL	PEP
D4418-5SET	SIGMAFAST™ 3,3'-Diaminobenzidine tablets, tablet, To prepare 15 mL	PEP
F4523-50SET	SIGMAFAST™ Fast Red TR/Naphthol AS-MX Tablets, tablet, To prepare 10 mL	PEP
F4648-50SET	SIGMAFAST™ Fast Red TR/Naphthol AS-MX Tablets, tablet, To prepare 1 mL	PEP
T0440-100ML	3,3',5,5'-Tetramethylbenzidine (TMB) Liquid Substrate System for ELISA, peroxidase substrate	PEP
T2885-1G	3,3',5,5'-Tetramethylbenzidine, ≥98% (TLC)	PEP
T8768-1G	3,3',5,5'-Tetramethylbenzidine dihydrochloride hydrate, powder, ≥98%	PEP
Labware		
Z688029-3EA	CELLine Classic bioreactor flask, CL 1000 (for 1L volumes)	PEP
Z688037-5EA	CELLine Classic bioreactor flask, CL 350 (for 350ml volumes)	PEP
Z688045-3EA	CELLine adhere bioreactor flask, AD 1000 (For adherent cell types)	PEP
GBL705002-20EA	Grace Bio-Labs ONCYTE® SuperNOVA™ nitrocellulose film slides, 3-18 mm x 16 mm NC pads per slide, plain glass	PEP
GBL705064-20EA	Grace Bio-Labs ONCYTE® SuperNOVA™ nitrocellulose film slides, 64-2.5 mm x 2.5 mm NC pads per slide, plain glass	PEP
GBL705108-20EA	Grace Bio-Labs ONCYTE® SuperNOVA™ nitrocellulose film slides, 8-15 mm x 6 mm NC pads per slide, plain glass	PEP
GBL705177-20EA	Grace Bio-Labs ONCYTE® SuperNOVA™ nitrocellulose film slides, 1-20 mm x 60 mm NC pad per slide, plain glass	PEP
GBL805020-20EA	Grace Bio-Labs PATH® protein microarray slides, with barcode	PEP
GBL805025-20EA	Grace Bio-Labs PATH® protein microarray slides, no barcode	PEP
Z688290-250EA	LightSafe micro centrifuge tubes, capacity 5 mL	PEP
Z688304-500EA	LightSafe micro centrifuge tubes, capacity 0.5 mL	PEP
Z688312-500EA	LightSafe micro centrifuge tubes, capacity 1.5 mL	PEP
Z688320-50EA	LightSafe centrifuge tubes, capacity 15 mL, sterile	PEP



For information on Sigma Life Science Grades, contact
Technical Service at ets@sial.com

Cat. No.	Product Description	Application
Z688347-5EA	LightSafe 100-place freezer storage box	PEP
GBL305004-20EA	Grace Bio-Labs ONCYTE® AVID™ nitrocellulose film slides, 4- 15 mm x 15 mm NC pad per slide, plain glass	PEP
GBL305016-20EA	Grace Bio-Labs ONCYTE® AVID™ nitrocellulose film slides, 16- 6 mm x 6 mm NC pad per slide, plain glass	PEP
GBL305064-20EA	Grace Bio-Labs ONCYTE® AVID™ nitrocellulose film slides, 64- 2.5 mm x 2.5 mm NC pad per slide, plain glass	PEP
GBL305108-20EA	Grace Bio-Labs ONCYTE® AVID™ nitrocellulose film slides, 8- 6 mm x 15 mm NC pad per slide, plain glass	PEP
GBL305118-20EA	Grace Bio-Labs ONCYTE® AVID™ nitrocellulose film slides, 8- 6 mm x 20 mm NC pad per slide, plain glass	PEP
GBL305170-20EA	Grace Bio-Labs ONCYTE® AVID™ nitrocellulose film slides, 1- 20 mm x 51 mm NC pad per slide, frosted end glass	PEP
GBL305177-20EA	Grace Bio-Labs ONCYTE® AVID™ nitrocellulose film slides, 1- 20 mm x 60 mm NC pad per slide, plain glass	PEP
GBL305278-20EA	Grace Bio-Labs ONCYTE® AVID™ nitrocellulose film slides, 1- 21 mm x 71 mm NC pad per slide, plain glass	PEP
GBL505116-20EA	Grace Bio-Labs ONCYTE® NOVA™ nitrocellulose film slides, 16- 6.5 mm x 6.5 mm NC pad per slide, plain glass	PEP
GBL845232-5EA	Grace Bio-Labs ProCrystal™ protein crystallization cover, uncut, paper liner	PEP
GBL845233-5EA	Grace Bio-Labs ProCrystal™ protein crystallization cover, uncut, plastic liner	PEP
GBL845236-5EA	Grace Bio-Labs ProCrystal™ protein crystallization cover, cut per individual well, paper liner	PEP
GBL845237-5EA	Grace Bio-Labs ProCrystal™ protein crystallization cover, cut per individual well, plastic liner	PEP
GBL204838-20EA	Grace Bio-Labs ProPlate® clips for microarray systems, stainless steel non-numbered	PEP
GBL204860-1EA	Grace Bio-Labs ProPlate® tray sets, 16 wells, with Delrin® snap clips, well L 7 mm x W 7 mm	PEP
GBL206862-10EA	Grace Bio-Labs ProPlate® microarray system, slide module only, 16 wells, W 7 mm x L 7 mm, without clips	PEP
GBL246880-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 16 wells, round, with stainless steel spring clips	PEP
GBL246881-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 1 well, with stainless steel spring clips	PEP
GBL246882-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 2 wells, with stainless steel spring clips	PEP
GBL246883-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 3 wells, with stainless steel spring clips	PEP
GBL246884-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 4 wells, with stainless steel spring clips	PEP
GBL246888-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 8 wells, with stainless steel spring clips	PEP
GBL246890-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 16 wells, with stainless steel spring clips	PEP
GBL247865-1EA	Grace Bio-Labs ProPlate® tray sets, 64 wells, with Delrin® snap clips	PEP
GBL247880-1EA	Grace Bio-Labs ProPlate® tray sets, 16 wells, round, with Delrin® snap clips	PEP
GBL247881-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 1 well, with Delrin® snap clips	PEP
GBL247883-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 3 wells, with Delrin® snap clips	PEP
GBL247884-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 4 wells, with Delrin® snap clips	PEP
GBL247888-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 8 wells, with Delrin® snap clips	PEP
GBL249865-1EA	Grace Bio-Labs ProPlate® microarray system tray set, 64 wells, with stainless steel spring clips	PEP
PURD10005-1KT	Pur-A-Lyzer™ Midi Dialysis Kit, Midi 1000, capacity 50-800 µL	PEP
PURD35010-1KT	Pur-A-Lyzer™ Midi Dialysis Kit, Midi 3500, capacity 50-800 µL	PEP
PURD35050-1KT	Pur-A-Lyzer™ Midi Dialysis Kit, Midi 3500, capacity 50-800 µL	PEP
PURD35100-1KT	Pur-A-Lyzer™ Midi Dialysis Kit, Midi 3500, capacity 50-800 µL	PEP
PURD60010-1KT	Pur-A-Lyzer™ Midi Dialysis Kit, Midi 6000, capacity 50-800 µL	PEP
PURD60030-1KT	Pur-A-Lyzer™ Midi Dialysis Kit, Midi 6000, capacity 50-800 µL	PEP
PURDR-1EA	Pur-A-Lyzer™ Floating Racks for Dialysis, Midi	PEP
PURG10010-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 1000, capacity 3-20 mL	PEP
PURG10015-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 1000, capacity 3-20 mL	PEP
PURG10020-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 1000, capacity 3-20 mL, pkg = 5 Mega dialysis tubes (in individual pouch)	PEP
PURG12010-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 12000, capacity 3-20 mL	PEP
PURG12015-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 12000, capacity 3-20 mL	PEP
PURG35010-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 3500, capacity 3-20 mL	PEP
PURG35015-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 3500, capacity 3-20 mL	PEP
PURG35020-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 3500, capacity 3-20 mL	PEP
PURG60010-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 6000, capacity 3-20 mL	PEP
PURG60015-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 6000, capacity 3-20 mL	PEP
PURG60020-1KT	Pur-A-Lyzer™ Mega Dialysis Kit, Mega 6000, capacity 3-20 mL	PEP
PURGR-1EA	Pur-A-Lyzer™ Floating Racks for Dialysis, Mega	PEP
PURN12010-1KT	Pur-A-Lyzer™ Mini Dialysis Kit, Mini 12000, capacity 10-250 µL	PEP
PURN12030-1KT	Pur-A-Lyzer™ Mini Dialysis Kit, Mini 12000, capacity 10-250 µL	PEP



Application Key

PEP = Protein extraction and purification, Elec = Electrophoresis, West = Western Blotting

Save on Reagents for Common Protein Biology Applications

Reference promo code **HSP** when placing your order.

Cat. No.	Product Description	Application
PURN12050-1KT	Pur-A-Lyzer™ Mini Dialysis Kit, Mini 12000, capacity 10-250 µL	PEP
PURN25005-1KT	Pur-A-Lyzer™ Mini Dialysis Kit, Mini 25000, capacity 10-250 µL	PEP
PURN60010-1KT	Pur-A-Lyzer™ Mini Dialysis Kit, Mini 6000, capacity 10-250 µL	PEP
PURN60050-1KT	Pur-A-Lyzer™ Mini Dialysis Kit, Mini 6000, capacity 10-250 µL	PEP
PURN60100-1KT	Pur-A-Lyzer™ Mini Dialysis Kit, Mini 6000, capacity 10-250 µL	PEP
PURX12005-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 12000, capacity 0.1-3 mL, pkg = 5 Maxi dialysis tubes	PEP
PURX12015-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 12000, capacity 0.1-3 mL, pkg = 15 Maxi dialysis tubes	PEP
PURX12100-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 12000, capacity 0.1-3 mL, pkg = 100 Maxi dialysis tubes	PEP
PURX35005-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 3500, capacity 0.1-3 mL, pkg = 5 Maxi dialysis tubes	PEP
PURX35015-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 3500, capacity 0.1-3 mL, pkg = 15 Maxi dialysis tubes	PEP
PURX35050-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 3500, capacity 0.1-3 mL, pkg = 50 Maxi dialysis tubes	PEP
PURX35100-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 3500, capacity 0.1-3 mL, pkg = 100 Maxi dialysis tubes	PEP
PURX50005-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 50000, capacity 0.1-3 mL, pkg = 5 Maxi dialysis tubes (in individual pouch)	PEP
PURX60005-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 6000, capacity 0.1-3 mL, pkg = 5 Maxi dialysis tubes	PEP
PURX60015-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 6000, capacity 0.1-3 mL, pkg = 15 Maxi dialysis tubes	PEP
PURX60050-1KT	Pur-A-Lyzer™ Maxi Dialysis Kit, Maxi 6000, capacity 0.1-3 mL, pkg = 50 Maxi dialysis tubes	PEP
PURXR-1EA	Pur-A-Lyzer™ Floating Racks for Dialysis, Maxi	PEP
EP1101-1EA	Sigma-Aldrich® MSMINIDUO horizontal gel electrophoresis system, capable of resolving up to 48 different samples	Elect
EP1201-1EA	Sigma-Aldrich® MSCHOICETRIO horizontal gel electrophoresis system, run up to 210 samples with 3 tray options	Elect
EP1301-1EA	Sigma-Aldrich® CVS10CBS omniPAGE mini dual vertical electrophoresis and electroblotting system, 10x10 cm, with caster and blotting insert	Elect
EP1301-1EA	Sigma-Aldrich® CVS10CBS omniPAGE mini dual vertical electrophoresis and electroblotting system, 10x10 cm, with caster and blotting insert	Elect
EP1401-1EA	Sigma-Aldrich® VS20DSYS omniPAGE maxi dual vertical electrophoresis system, 20x20 cm, with caster	Elect
EP1501-1EA	Sigma-Aldrich® SB10 omniPAGE mini electroblotting system, 10x 10cm, with 4 cassettes and 8 fibre pads	Elect

Sigma-Aldrich® Worldwide Offices

Argentina

Free Tel: 0810 888 7446
Tel: (+54) 11 4556 1472
Fax: (+54) 11 4552 1698

Australia

Free Tel: 1800 800 097
Free Fax: 1800 800 096
Tel: (+61) 2 9841 0555
Fax: (+61) 2 9841 0500

Austria

Tel: (+43) 1 605 81 10
Fax: (+43) 1 605 81 20

Belgium

Tel: (+32) 3 899 13 01
Fax: (+32) 3 899 13 11

Brazil

Free Tel: 0800 701 7425
Tel: (+55) 11 3732 3100
Fax: (+55) 11 5522 9895

Canada

Free Tel: 1800 565 1400
Free Fax: 1800 265 3858
Tel: (+1) 905 829 9500
Fax: (+1) 905 829 9292

Chile

Tel: (+56) 2 495 7395
Fax: (+56) 2 495 7396

People's Republic of China

Free Tel: 800 819 3336
Tel: (+86) 21 6141 5566
Fax: (+86) 21 6141 5567

Czech Republic

Tel: (+420) 246 003 200
Fax: (+420) 246 003 291

Denmark

Tel: (+45) 43 56 59 00
Fax: (+45) 43 56 59 05

Finland

Tel: (+358) 9 350 9250
Fax: (+358) 9 350 92555

France

Free Tel: 0800 211 408
Free Fax: 0800 031 052
Tel: (+33) 474 82 28 88
Fax: (+33) 474 95 68 08

Germany

Free Tel: 0800 51 55 000
Free Fax: 0800 64 90 000
Tel: (+49) 89 6513 0
Fax: (+49) 89 6513 1169

Hungary

Tel: (+36) 1 235 9055
Fax: (+36) 1 235 9068

India

Telephone

Bangalore: (+91) 80 6621 9400
New Delhi: (+91) 11 4358 8000
Mumbai: (+91) 22 4087 2364
Pune: (+91) 20 4146 4700
Hyderabad: (+91) 40 3067 7450
Kolkata: (+91) 33 4013 8000

Fax

Bangalore: (+91) 80 6621 9550
New Delhi: (+91) 11 4358 8001
Mumbai: (+91) 22 2579 7589
Pune: (+91) 20 4146 4777
Hyderabad: (+91) 40 3067 7451
Kolkata: (+91) 33 4013 8016

Ireland

Free Tel: 1800 200 888
Free Fax: 1800 600 222
Tel: +353 (0) 402 20370
Fax: +353 (0) 402 20375

Israel

Free Tel: 1 800 70 2222
Tel: (+972) 8 948 4222
Fax: (+972) 8 948 4200

Italy

Free Tel: 800 827 018
Tel: (+39) 02 3341 7310
Fax: (+39) 02 3801 0737

Japan

Tel: (+81) 3 5796 7300
Fax: (+81) 3 5796 7315

Korea

Free Tel: (+82) 80 023 7111
Free Fax: (+82) 80 023 8111
Tel: (+82) 31 329 9000
Fax: (+82) 31 329 9090

Luxembourg

Tel: (+32) 3 899 1301
Fax: (+32) 3 899 1311

Malaysia

Tel: (+60) 3 5635 3321
Fax: (+60) 3 5635 4116

Mexico

Free Tel: 01 800 007 5300
Free Fax: 01 800 712 9920
Tel: (+52) 722 276 1600
Fax: (+52) 722 276 1601

The Netherlands

Tel: (+31) 78 620 5411
Fax: (+31) 78 620 5421

New Zealand

Free Tel: 0800 936 666
Free Fax: 0800 937 777
Tel: (+61) 2 9841 0555
Fax: (+61) 2 9841 0500

Norway

Tel: (+47) 23 17 60 00
Fax: (+47) 23 17 60 10

Poland

Tel: (+48) 61 829 01 00
Fax: (+48) 61 829 01 20

Portugal

Free Tel: 800 202 180
Free Fax: 800 202 178
Tel: (+351) 21 924 2555
Fax: (+351) 21 924 2610

Russia

Tel: (+7) 495 621 5828
Fax: (+7) 495 621 6037

Singapore

Tel: (+65) 6779 1200
Fax: (+65) 6779 1822

Slovakia

Tel: (+421) 255 571 562
Fax: (+421) 255 571 564

South Africa

Free Tel: 0800 1100 75
Free Fax: 0800 1100 79
Tel: (+27) 11 979 1188
Fax: (+27) 11 979 1119

Spain

Free Tel: 900 101 376
Free Fax: 900 102 028
Tel: (+34) 91 661 99 77
Fax: (+34) 91 661 96 42

Sweden

Tel: (+46) 8 742 4200
Fax: (+46) 8 742 4243

Switzerland

Free Tel: 0800 80 00 80
Free Fax: 0800 80 00 81
Tel: (+41) 81 755 2511
Fax: (+41) 81 756 5449

Thailand

Tel: (+66) 2 126 8141
Fax: (+66) 2 126 8080

United Kingdom

Free Tel: 0800 717 181
Free Fax: 0800 378 785
Tel: (+44) 01747 833 000
Fax: (+44) 01747 833 574

United States

Toll-Free: 800 325 3010
Toll-Free Fax: 800 325 5052
Tel: (+1) 314 771 5765
Fax: (+1) 314 771 5757

Vietnam

Tel: (+84) 8 3516 2810
Fax: (+84) 8 6258 4238

Internet

sigma-aldrich.com

*Enabling Science to
Improve the Quality of Life*

Order: sigma-aldrich.com/order • Technical Service: ets@sial.com
Development/Custom Manufacturing Inquiries **SAFC**® safcglobal@sial.com
Safety-related Informations sigma-aldrich.com/safetycenter

European Headquarters
Wassergasse 7
9000 St. Gallen
Switzerland
sigma-aldrich.com

©2013 Sigma-Aldrich Co. LLC. All rights reserved. SIGMA, SAFC, SIGMA-ALDRICH and ALDRICH are trademarks of Sigma-Aldrich Co. LLC, registered in the US and other countries. Where bio begins is a trademark of Sigma-Aldrich Co. LLC. Sigma brand products are sold through Sigma-Aldrich, Inc. PATH is a registered trademark of Courtagen Life Sciences, Inc. TWEEEN is a registered trademark of Croda International PLC. Delrin is a registered trademark of E. I. du Pont de Nemours and Company. Sephadex and Sepharose are registered trademarks of GE Healthcare. Oncoyte and ProPlate are registered trademarks of Grace Bio-Labs, Inc. AVID, NOVA, ProCrystal and SuperNOVA are trademarks of Grace Bio-Labs, Inc. SYPRO is a registered trademark of Life Technologies. TRI Reagent is a registered trademark of Molecular Research Center, Inc. Ampliflu, Cellytic, ColorBurst, EZBlue, EZView, PHOS-Select, ProteoSilver, Pur-A-Lyzer, SIGMAFAST, SigmaMarker and Western Blocker are trademarks of Sigma-Aldrich Co. LLC. BCIP, ReagentPlus and Trizma are registered trademarks of Sigma-Aldrich Co. LLC. Triton is a trademark of The Dow Chemical Company or an affiliated company of Dow. CDP-Star is a registered trademark of Tropix, Inc. Brij is a registered trademark of Uniqema Americas LLC. Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply. Please see product information on the Sigma-Aldrich website at www.sigmaaldrich.com and/or on the reverse side of the invoice or packing slip.

SIGMA® Where *bio begins*™
Life Science